

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6577734".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 18:39
S1	14	client and server and (randomiz\$5 near5 key) and ((serial near number) or (client near id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:40
S2	9	S1 and (client near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:11
S3	0	client and server and (randomiz\$5 near5 key) and (reorder\$5 near5 (content or message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:14
S4	0	sender and receiver and (randomiz\$5 near5 key) and (reorder\$5 near5 (content or message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:14
S5	6	sender and receiver and (randomiz\$5 near5 key) and (randomiz\$5 near5 (content or message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:18
S6	39	(randomiz\$5 near5 key) and (randomiz\$5 near5 (content or message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:18
S7	33	S6 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:34
S8	1009	seed and (random near number) and (random near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:35

## EAST Search History

S9	337	S8 and (protect\$5 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:36
S10	264	S9 and (client or receiver) and (sender or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:09
S11	10598	video near5 demand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:10
S12	37	S11 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:24
S13	1061	(set near3 box) and random and (video near3 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:38
S14	4	S13 and (transmit\$4 near5 (key and (encrypted near3 content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:30
S15	1	"5745571".PN.	USPAT; USOCR	OR	ON	2005/03/22 12:28
S16	1	"5742756".PN.	USPAT; USOCR	OR	ON	2005/03/22 12:28
S17	1	"5721781".PN.	USPAT; USOCR	OR	ON	2005/03/22 12:29
S18	0	S13 and (transmit\$4 near5 (key and (randomiz\$4 near3 content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:30
S19	0	S13 and (send\$4 near5 (key and (randomiz\$4 near3 content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:30

## EAST Search History

S20	0	S13 and (send\$4 near5 (key and (randomiz\$4 near3 message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:30
S21	0	S13 and (send\$4 near5 (key and (randomiz\$4 near3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:30
S22	579	380/44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:31
S23	43	S22 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:31
S24	1	"5742686".PN.	USPAT; USOCR	OR	ON	2005/03/22 12:59
S25	1	"5452358".PN.	USPAT; USOCR	OR	ON	2005/03/22 12:59
S26	1	"5365589".PN.	USPAT; USOCR	OR	ON	2005/03/22 12:59
S27	1	"5699427".PN.	USPAT; USOCR	OR	ON	2005/03/22 13:05
S28	115	S13 and (encrypted near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:40
S29	0	S28 and (client near5 seed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:40
S30	0	S28 and (client same seed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:41
S31	29	S28 and seed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:51

## EAST Search History

S32	4	S13 and ((client near3 specific) same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:53
S33	23	S13 and (client near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:53
S34	20	S33 not S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:02
S35	66	(conditional near5 access) and (random\$6 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:02
S36	24	S35 and (video near5 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:49
S37	535	((client near id) or (serial near number) or cw) and (video near5 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:50
S38	128	S37 and (generat\$4 near10 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:51
S39	30	S38 and ((set near top) near10 (key or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:24
S40	2	"6005943".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:16
S41	26	S39 and (conditional near3 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:24

## EAST Search History

S42	26	S41 and (video near2 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:28
S43	0	S42 and (client near5 (private near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:28
S44	0	S42 and (subscriber near8 (private near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:29
S45	136	(subscriber near8 (private near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:29
S46	6	S45 and (set near top) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 16:06
S47	121	(client near5 (id or key)) and (set near top) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 16:07
S48	64	S47 and (client near5 specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:23
S49	84633	memory near address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:23
S50	63	S49 and (address near10 (encryption near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:24
S51	6	S50 and (conditional near access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:28

## EAST Search History

S52	7	S50 and (set near top)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:28
S53	1	S52 not S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:46
S54	37603	random near number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:46
S55	1276	S54 and (prime near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 17:46
S56	8	S55 and ((set near top) near10 (key or id or (serial near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 12:57
S57	1924	block near5 cipher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:07
S58	41	S57 and ((different near3 block) near5 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:08
S59	104	380/257.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:16
S60	104	380/257.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:06
S61	0	S60 and (block near5 ciphering)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:07

## EAST Search History

S62	5	S60 and (block near5 cipher\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:07
S63	3908	(generat\$5 near6 key) and (hardware near5 (key or number or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:34
S64	476	S63 and wireless and DSL and block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:55
S65	0	S64 and ATVEF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:05
S66	6	S64 and ((key and content) near5 channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:06
S67	600	(generat\$5 near6 key) with (hardware near5 (key or number or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:55
S68	11	S67 and wireless and DSL and block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:35
S69	11	S68 not S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:35
S70	62521	(generat\$5 near6 key) with (key or number or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:55
S71	1042	S70 and wireless and DSL and block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:56

## EAST Search History

S72	480	S71 and (stor\$5 near5 (id or (serial near3 number) or (random near3 number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:59
S73	407	S72 and (session near4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:00
S74	2	S73 and ((virtual or logical) near5 channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:00
S75	2	S73 and ((virtual or logical) with channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:54
S76	2	"6577734".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 15:02
S77	2	"6415032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:24
S78	2	"5970145".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:28
S79	735	((reorder\$5 or permut\$5) near6 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:45
S80	38	S79 and (key with (id or (serial near3 number) or hardware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:45
S81	663	((randomiz\$5 or permut\$5) near6 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:54



## EAST Search History

S82	39	S81 and (key with (id or (serial near3 number) or hardware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:45
S83	27	S82 not S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:46
S84	1185	((randomiz\$5 or permut\$5 or reorder\$5) near6 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:55
S85	30	S84 and (secur\$5 near5 distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:12
S86	159	S84 and (distribut\$5 near6 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 18:01
S87	19	S84 and (distribut\$5 near6 content) and (session near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:24
S88	4	S86 and ((client near5 specific) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 18:00
S89	2	S88 not S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 18:01
S90	1	380/277.ccls. and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 18:01
S91	1	380/277.ccls. and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 18:14

## EAST Search History

S92	2	380/277.ccls. and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 18:14
S93	4604	(randomiz\$5 reorder\$5 re-order\$5) near5 block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:05
S94	227	((randomiz\$5 reorder\$5 re-order\$5) near5 block).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:45
S95	11	S94 and ((randomiz\$5 reorder\$5 re-order\$5) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:49
S96	78	S93 and ((randomiz\$5 reorder\$5 re-order\$5) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:50
S97	2	S96 and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:50
S98	27	((randomiz\$5 reorder\$5 re-order\$5) near5 block) same ((before upon) near7 (send\$5 transmi\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:36
S99	7	S98 and @pd<="20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:30
S10 0	5	((randomiz\$5 reorder\$5 re-order\$5) near5 (block near5 (data content))) same ((before upon) near7 (send\$5 transmi\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:46
S10 1	18	((randomiz\$5 reorder\$5 re-order\$5) near5 ((block near5 (data content)) address (memory near3 location))) same ((before upon) near7 (send\$5 transmi\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:51

## EAST Search History

S10 2	13	S101 not S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:51
S10 3	2	"6233577".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 18:39